

1. Delestré L, Berthon C, Quesnel B, Figeac M, Kerckaert JP, Galiègue-Zouitina S, Shelley C. Repression of the *RhoH* gene by *junD*. *Biochem J*. 2011;437(1):75-88.
2. Galiègue-Zouitina S, Delestré L, Dupont C, Troussard X, Shelley CS. Underexpression of *RhoH* in hairy cell leukemia. *Cancer Res*. 2008 June 15; 68(12): 4531-4540.
3. Kong T, Scully M, Shelley CS, Colgan SP. Identification of Pura as a new hypoxia response factor responsible for coordinated induction of the $\beta 2$ integrin family. *J Immunol*. 2007 Aug 1; 179(3): 1934-1941.
4. Li X, Xiong JW, Shelley CS, Park H, Arnaout MA. The transcription factor ZBP-89 controls generation of the hematopoietic lineage in zebrafish and mouse embryonic stem cells. *Development*. 2006 Sep; 133(18): 3641-3650.
5. Kong T, Eltzschig HK, Karhausen J, Colgan SP, Shelley CS. Leukocyte adhesion during hypoxia is mediated by HIF-1-dependent induction of $\beta 2$ integrin gene expression. *Proc Natl Acad Sci U S A*. 2004 Jul 13; 101(28): 10440-10445. PMID: PMC478589.
6. Nicolaou F, Teodoridis JM, Park H, Georgakis A, Farokhzad OC, Bottinger EP, Da Silva N, Rousselot P, Chomienne C, Ferenczi K, Arnaout MA, Shelley CS. *CD11c* gene expression in hairy cell leukemia is dependent upon activation of the proto-oncogenes *ras* and *junD*. *Blood*. 2003 May 15; 101(10): 4033-4041.
7. Park H, Shelley CS, Arnaout MA. The zinc finger transcription factor ZBP-89 is a repressor of the human $\beta 2$ -integrin *CD11b* gene. *Blood*. 2003 Feb 1; 101(3): 894-902. PMID 12393719.
8. Shelley CS, Teodoridis JM, Park H, Farokhzad OC, Bottinger EP, Arnaout MA. During differentiation of the monocytic cell line U937, Pura mediates induction of the *CD11c* $\beta 2$ integrin gene promoter. *J Immunol*. 2002 Apr 15; 168(8): 3887-3893.
9. Da Silva N, Bharti A, Shelley CS. hnRNP-K and Pura act together to repress the transcriptional activity of the *CD43* gene promoter. *Blood*. 2002 Nov 15; 100(10): 3536-3544.
10. Shelley CS, Da Silva N, Teodoridis JM. During U937 monocytic differentiation repression of the *CD43* gene promoter is mediated by the single-stranded DNA binding protein Pura. *Br J Haematol*. 2001 Oct; 115(1): 159-166.
11. Farokhzad OC, Teodoridis JM, Park H, Arnaout MA, Shelley CS. *CD43* gene expression is mediated by a nuclear factor which binds pyrimidine-rich single-stranded DNA. *Nucleic Acids Res*. 2000 Jun 1; 28(11): 2256-2267. PMID: PMC102628.
12. Shelley CS, Da Silva N, Georgakis A, Chomienne C, Arnaout MA. Mapping of the human *CD11c* (ITGAX) and *CD11d* (ITGAD) genes demonstrates that they are arranged in tandem separated by no more than 11.5 kb. *Genomics*. 1998 Apr 15; 49(2): 334-336.
13. Farokhzad OC, Shelley CS, Arnaout MA. Induction of the *CD11b* gene during activation of the monocytic cell line U937 requires a novel nuclear factor MS-2. *J Immunol*. 1996 Dec 15; 157(12): 5597-5605.
14. Bottinger EP, Shelley CS, Farokhzad OC, Arnaout MA. The human $\beta 2$ integrin *CD18* promoter consists of two inverted *Ets cis* elements. *Mol Cell Biol*. 1994 Apr; 14(4): 2604-2615. PMID: PMC358628.
15. Shelley CS, Farokhzad OC, Arnaout MA. Identification of cell-specific and developmentally regulated nuclear factors that direct myeloid and lymphoid expression of the *CD11a* gene. *Proc Natl Acad Sci U S A*. 1993 Jun 1; 90(11): 5364-5368. PMID: PMC46717.
16. Shelley CS, Bottinger EP, Arnaout MA. Transcriptional regulation of $\beta 2$ integrins. In: Leukocyte Adhesion: Basic and Clinical Aspects: Proceedings of the 6th Novo Nordisk Foundation Symposium 'Leukocyte Adhesion', Copenhagen, Denmark, 29 June-1 July 1992. Amsterdam; New York: Excerpta Medica; 1992. p. 337-351.
17. Shelley CS, Arnaout MA. The promoter of the *CD11b* gene directs myeloid-specific and developmentally regulated expression. *Proc Natl Acad Sci U S A*. 1991 Dec 1; 88(23): 10525-10529. PMID: PMC52961.

18. Shelley CS, Remold-O'Donnell E, Rosen FS, Whitehead AS. Structure of the human sialoporphin (*CD43*) gene: Identification of features atypical of genes encoding integral membrane proteins. *Biochem J.* 1990 Sep 15; 270(3): 569-576. PMID: PMC1131770.
19. Shelley CS, Remold-O'Donnell E, Davis AE, 3rd, Bruns GA, Rosen FS, Carroll MC, Whitehead AS. Molecular characterization of sialoporphin (*CD43*), the lymphocyte surface sialoglycoprotein defective in Wiskott-Aldrich syndrome. *Proc Natl Acad Sci U S A.* 1989 Apr; 86(8): 2819-2823. PMID: PMC287010.
20. Shelley CS, Baralle FE. Deletion analysis of a unique 3' splice site indicates that alternating guanine and thymine residues represent an efficient splicing signal. *Nucleic Acids Res.* 1987 May 11; 15(9): 3787-3799. PMID: PMC340782.
21. Shelley CS, Baralle FE. Dual tissue-specific expression of apo-AII is directed by an upstream enhancer. *Nucleic Acids Res.* 1987 May 11; 15(9): 3801-3821. PMID: PMC340783.
22. Ferns GAA, Shelley CS, Stocks J, Rees A, Baralle FE, Galton DJ. An apoprotein AII gene polymorphism and hypertriglyceridaemia. In: Sirtori CR, Nichols AV, Franceschini G, North Atlantic Treaty Organization. Scientific Affairs Division, editors. Human apolipoprotein mutants: impact on atherosclerosis and longevity. New York: Plenum Press; 1986. p. 139-142.
23. Ferns GA, Shelley CS, Stocks J, Rees A, Paul H, Baralle F, Galton DJ. A DNA polymorphism of the apoprotein AII gene in hypertriglyceridaemia. *Hum Genet.* 1986 Nov; 74(3): 302-306.
24. Shelley CS, Sharpe CR, Baralle FE, Shoulders CC. Comparison of the human apolipoprotein genes: Apo AII presents a unique functional intron-exon junction. *J Mol Biol.* 1985 Nov 5; 186(1): 43-51.
25. Sharpe CR, Sidoli A, Shelley CS, Lucero MA, Shoulders CC, Baralle FE. Human apolipoproteins AI, AII, CII and CIII. cDNA sequences and mRNA abundance. *Nucleic Acids Res.* 1984 May 11; 12(9): 3917-3932. PMID: PMC318799.